

Well Child Check-Up and Immunization Schedule Summary

Birth – 5 years:

Each check-up includes a growth and weight evaluation, a full developmental assessment and a complete physical examination.

<u>Age at check-up</u>	<u>Routine Immunizations/Screening Tests</u>
2 to 7 days	Post Hospital Exam and Weight Check follow ups as indicated Hep B #1 if not given in hospital
4 weeks*	Hep B #2, TB Screen
2 months	Pentacel (DTaP#1, Hib #1, IPV #1), Prevnar #1, Rotavirus #1
4 months	Pentacel (DTaP #2, Hib #2, IPV #2), Prevnar #2, Rotavirus #2
6 months	Pentacel (DTaP #3, Hib #3, IPV #3), Prevnar #3, Rotavirus #3, TB Screen
9 months	Hep B #3
12 months*	MMR #1, Varivax #1, Prevnar #4, Lead Screen, CBC, TB screen
15 months	Pentacel (DTaP #4, Hib #4, IPV #4)
18 months	Hep A #1, TB screen
2 years	Hep A #2, Lead Screen, TB screen
2 ½ years (30 mo)	
3 years	Vision screen, TB screen
4 years*	Quadracel (DTaP #5/IPV #5), Proquad (MMR #2/Varivax #2) Vision screen, TB Screen
5 years	Hearing and vision screens, TB screen

Developmental screening tools:

EPDS	Edinburgh Postpartum Depression Screening (routinely done between 1-6 months old)
M-Chat	Autism screening tool (routinely done at 18 months and 2 years)
PEDS	Parent evaluation of development status (at intervals between 6 months – 5 years)

***The 4 week, 12 months and 4 year exams should NOT be done early.**

Abbreviations Used:

DTaP	Diphtheria, Tetanus, acellular Pertussis (Whooping Cough) (Ages 6 weeks-6 years)
Tdap	Tetanus, Diphtheria, acellular Pertussis (Ages 7+)
Hep B	Hepatitis B vaccine
Hep A	Hepatitis A vaccine
Hib	Haemophilus influenzae, type B (bacteria that can cause meningitis)
IPV	Inactivated Polio Vaccine
MMR	Measles, Mumps, Rubella,
Var	Varicella (Chicken Pox)
TB	Tuberculosis
Prevnar	Pneumococcal vaccine (bacteria that can cause meningitis)
Rotavirus	Oral vaccine against a common intestinal virus
CBC	Complete Blood Count—checks hemoglobin (blood test for anemia)

Annual Well Exams:

After 5 years, well child exams are recommended every year. Raleigh Pediatrics requires yearly well exams for patients who are taking medications for chronic problems such as Asthma and ADHD.

Each well exam includes a growth and weight evaluation, a full developmental assessment and a complete physical examination. Screenings may include TB, vision, hearing, and a lipid or CBC panel if appropriate.

All patients age 11-22 will be given the RAAPS (Rapid Adolescent Assessment for Preventative Services) to screen for behavior/psychosocial issues.

Adolescent vaccines:

- Meningitis vaccine
 - ✓ Menactra given routinely between 11-16 years old (State law eff. 7/15 requires for 7th grade school entry) , one booster after 16 years old before college entry
 - ✓ MenB vaccine optional between ages 16-18 (2 doses given 6 months apart)
- Tdap (tetanus booster containing pertussis) - can be given after 6 years old but is usually done at 11-13 year well child check. (State law eff. 7/2015 requires for 7th grade school entry)
- HPV (human papilloma vaccine) - given to females & males starting at 11 year well child check (If series started before age 15, then two doses are given 6 months apart; if series started at 15+, then three doses of the vaccine are given at 0, 2, and 6 month intervals)
- Varivax - second chickenpox booster if has not already had 2 or confirmed history of disease